



Design Report of Safety Data Sheet

Report No.: DG2152307E

Date: 2021/07/19

Name of the sample	Rechargeable Li-ion Battery Module BM5140		
Applicant	Jiangsu Weiheng Intelligent Technology Co.,Ltd.		
Supplier	Jiangsu Weiheng Intelligent Technology Co.,Ltd.		
Composition of the sample	Lithium iron phosphate(FeLiO4P): 39.06%; Graphite(C24X12): 18.97%; Copper: 8.8%; Aluminium(Al): 5.15%; Nickel: 1.16%; Lithium hexafluorophosphate: 2.42%; Polyvinylidene Fluoride: 1.23%; Carboxymethylcellulose Sodium: 0.3%; Carbon black(C): 1.4%; Styrene-butadiene rubber: 1%		
Warranty of Design	GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELLING OF CHEMICALS (GHS) Eighth revised edition		
Design Result of SDS please see next page.			
Designer		Approver	

Notes: This SDS is valid before the implementation of the ninth revised edition GHS.





Terms of the Using of the Report

1. The report is issued by DPTC according to the information of the chemicals and the information of its shipping provided by the applicant (shipper or his agent).
2. According to the demand of this SDS, DPTC requires the applicant to provide true and exact sample and data.
3. Information from applicant is the key of this Label, so the center will not respond for the wrong of applicant.
4. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
5. This report will be effective only after it is signed by the inspector, approver and stamped by DPTC.
6. Our center guarantees the objectivity and fairness of this report, and carries out confidentiality obligations on business secrets such as business information, technical documents and so on.
7. The partly duplicating of this report is prohibited without the written approver of DPTC.
8. The report is invalid when anything of the following happens-illegal transfer, embezzlement, imposture, modification or tampering in any media form.
9. The authenticity of the certificate can be checked by scanning the QR code of this certificate.



SAFETY DATA SHEET

Rechargeable Li-ion Battery Module

BM5140

Jiangsu Weiheng Intelligent Technology Co.,Ltd.

- According to GHS (Eighth Revised Edition)



Section 1 Product and Company Identification

> Product Identifier

Product Name	Rechargeable Li-ion Battery Module BM5140
Synonyms	-
CAS No.	Not applicable
EC No.	Not applicable
Molecular Formula	Not applicable

> Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Applicable Models for BM5140	WH-BX4.1、WH-BX6.2、WH-BX8.2、WH-BX10.3、WH-BX12.3.
Relevant Identified Uses	Please consult manufacturer.
Uses Advised Against	Please consult manufacturer.

> Details of the Supplier of the Safety Data Sheet

Applicant Name	Jiangsu Weiheng Intelligent Technology Co.,Ltd.
Application Address	888 Chunliubei Road, 212200, Yangzhong City, Jiangsu Province PEOPLE'S REPUBLIC OF CHINA
Applicant Post Code	——
Applicant Telephone	+86-512-87887659
Applicant Fax	——
Applicant E-mail	wifoserver@wifo-china.com
Supplier Name	Jiangsu Weiheng Intelligent Technology Co.,Ltd.
Supplier Address	888 Chunliubei Road, 212200, Yangzhong City, Jiangsu Province PEOPLE'S REPUBLIC OF CHINA
Supplier Post Code	——
Supplier Telephone	+86-512-87887659
Supplier Fax	——
Supplier E-mail	wifoserver@wifo-china.com
Importer Company	Solar System Pty Ltd
Importer Address	Unit 4,142 James Ruse Drive Parramatta NSW 2150
Importer Telephone	(+86)1800975270 0406927802
Importer Email	sunny@solarsystemaus.com.au
Importer Website	https://www.solarsystemaustralia.com.au

> Emergency Phone Number

Emergency Phone Number +86-512-87887659

**Section 2 Hazards Identification****Hazard class and label elements of the product according to GHS (the eighth revised edition):****> GHS Hazard Class**

This product meets the definition of an article. Under the Globally Harmonized System of Classification and Labeling of Chemicals (GHS), "Articles" as defined in the Hazard Communication Standard (29 CFR 1910.1200) of the Occupational Safety and Health Administration of the United States of America, or by similar definition, are outside the scope of the system. [Rev.8 (2019) Part 1.3.2.1.1]

> GHS Label Elements

Pictogram Not applicable

Signal Word **Not applicable**

> Hazard Statements

Not applicable

> Precautionary Statements**Prevention**

Do not open or disassemble.
Do not expose to high temperatures or open fire.
Do not mix with batteries of varying sizes, chemistries or types.
Avoid using external impact battery.

Response

Not applicable

Storage

Store under roof in cool, dry, well-ventilated areas.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Section 3 Composition/Information on Ingredients

Component	Concentration (weight percent, %)	CAS No.	EC No.
Lithium iron phosphate(FeLiO4P)	39.06	15365-14-7	-
Graphite(C24X12)	18.97	7782-42-5	231-955-3
Copper	8.8	7440-50-8	231-159-6
Aluminium(Al)	5.15	7429-90-5	231-072-3
Nickel	1.16	7440-02-0	231-111-4
Lithium hexafluorophosphate	2.42	21324-40-3	244-334-7



Polyvinylidene Fluoride	1.23	24937-79-9
Carboxymethylcellulose Sodium	0.3	9085-26-1
Carbon black(C)	1.4	1333-86-4
Styrene-butadiene rubber	1	9003-55-8

Section 4 First Aid Measures

> Description of First Aid Measures

General Advice	Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.
Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable.
Skin Contact	Take off contaminated clothing and shoes immediately. Wash off with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable.
Ingestion	Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.
Inhalation	Move victim into fresh air. If breathing is difficult, give oxygen. Do not use mouth to mouth resuscitation if victim ingested or inhaled the substance. If not breathing, give artificial respiration and consult a physician immediately.
Protecting of First-aiders	Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination.

> Most Important Symptoms and Effects, both Acute and Delayed

- 1 Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

> Indication of Any Immediate Medical Attention and Special Treatment Needed

- 1 Treat symptomatically.
- 2 Symptoms may be delayed.

Section 5 Fire Fighting Measures

> Extinguishing Media

Suitable Extinguishing Media	Dry chemical, carbon dioxide or alcohol-resistant foam.
Unsuitable Extinguishing Media	Do not use a solid water stream as it may scatter or spread fire.

> Specific Hazards Arising from the Substance or Mixture

- 1 Containers may explode when heated.
- 2 Fire exposed containers may vent contents through pressure relief valves.
- 3 May expansion or decompose explosively when heated or involved in fire.

> Advice for Firefighters

- 1 As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.
- 2 Fight fire from a safe distance, with adequate cover.
- 3 Prevent fire extinguishing water from contaminating surface water or the ground water system.

Section 6 Accidental Release Measure

> Personal Precautions, Protective Equipment and Emergency Procedures

- 1 Ensure adequate ventilation. Remove all sources of ignition.
- 2 Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
- 3 Use personal protective equipment. Avoid breathing vapours, mist, gas or dust.

**> Environmental Precautions**

- 1 Prevent further leakage or spillage if safe to do so.
- 2 Discharge into the environment must be avoided.

> Methods and Materials for Containment and Cleaning Up

- 1 Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a spill by bunding.
- 2 Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.
- 3 Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

Section 7 Handling and Storage**> Precautions for Handling**

- 1 Handling is performed in a well ventilated place.
- 2 Wear suitable protective equipment.
- 3 Avoid contact with skin and eyes.
- 4 Keep away from heat/sparks/open flames/ hot surfaces.
- 5 Take precautionary measures against static discharges.

> Precautions for Storage

- 1 Keep containers tightly closed.
- 2 Keep containers in a dry, cool and well-ventilated place.
- 3 Keep away from heat/sparks/open flames/ hot surfaces.
- 4 Store away from incompatible materials and foodstuff containers.

Section 8 Exposure Controls/Personal Protection**> Control Parameters****Occupational Exposure Limit Values**

Component	Country/Region	Limit Value - Eight Hours		Limit Value - Short Term	
		ppm	mg/m ³	ppm	mg/m ³
Graphite(C24X 12) 7782-42-5	USA - OSHA	-	15	-	-
	South Korea	-	2	-	-
	Ireland	-	10	-	-
	Germany (DFG)	-	4	-	-
	Denmark	-	2.5	-	5
	Australia	-	3 (4)	-	-
Copper 7440-50-8	The Netherlands	-	0.1	-	-
	Poland	-	0.2	-	-

	Latvia	-	0.5	-	1
	Germany (DFG)	-	0.01	-	0.02
Aluminium(Al) 7429-90-5	USA - OSHA	-	15	-	-
	South Korea	-	10	-	-
	Ireland	-	1	-	-
	Germany (DFG)	-	4	-	-
	Denmark	-	5	-	10
	Australia	-	10	-	-
Nickel 7440-02-0	USA - OSHA	-	1	-	-
	South Korea	-	1	-	-
	Ireland	-	0.5	-	-
	Hungary	-	0.1	-	0.1
	Denmark	-	0.05	-	0.1
	Australia	-	1	-	-
Carbon black(C) 1333-86-4	USA - OSHA	-	3.5	-	-
	South Korea	-	3.5	-	-
	Ireland	-	3.5	-	7
	France	-	3.5	-	-
	Denmark	-	3.5	-	7
	Australia	-	3	-	-



Biological Limit Values

Component	Source	Biological monitoring index	Biological limits value	Sampling time	remark
		Fluorine/urine	8mg/L	end of shift	

Monitoring Methods

- 1 EN 14042 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.
- 2 GBZ/T 160 Determination of toxic substances in workplace air(Series effective standard)and GBZ/T 300 Determination of toxic substances in workplace air(Series standard).

> Engineering Controls

- 1 Ensure adequate ventilation, especially in confined areas.
- 2 Ensure that eyewash stations and safety showers are close to the workstation location.
- 3 Use explosion-proof electrical/ventilating/lighting/equipment.
- 4 Set up emergency exit and necessary risk-elimination area.

> Personal Protection Equipment

Eye Protection	Tightly fitting safety goggles (approved by EN 166(EU) or NIOSH (US).
Hand Protection	Wear protective gloves (such as butyl rubber) , passing the tests according to EN 374(EU),US F739 or AS/NZS 2161.1 standard.
Respiratory protection	If exposure limits are exceeded or if irritation or other symptoms are experienced, use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges.
Skin and Body Protection	Wear fire/flame resistant/retardant clothing and antistatic boots.

Section 9 Physical and Chemical Properties



Appearance: Lithium-ion batteries, individually packaged , 51.2V 40Ah 2048Wh

Odor Threshold: No information available

Melting Point/Freezing Point (°C): No information available

Flash Point (°C)(Closed Cup): Not applicable

Flammability: No information available

Vapor Pressure (KPa): Not applicable

Relative Density(Water=1): No information available

n-Octanol/Water Partition Coefficient: No information available

Decomposition Temperature (°C): No information available

Particle characteristics: No information available

Odor: No information available

pH: No information available

Initial Boiling Point and Boiling Range (°C): No information available

Evaporation Rate: Not applicable

Upper/lower explosive limits[%(v/v)]: Upper limit : No information available ; Lower limit : No information available

Relative Vapour Density(Air = 1): Not applicable

Solubility: No information available

Auto-Ignition Temperature(°C): No information available

Kinematic Viscosity (mm²/s): Not applicable

Section 10 Stability and Reactivity

Reactivity	Contact with incompatible substances can cause decomposition or other chemical reactions.
Chemical Stability	Stable under proper operation and storage conditions.
Possibility of Hazardous Reactions	Mixtures with metallic acetylene, when heated, cause a fire or incandescence. Reacts severely with halogens, interhalogens or other strong oxidants, or causes a fire. Ultrafine powder will self-ignite in the air at room temperature.
Conditions to Avoid	Incompatible materials, heat, flame and spark.
Incompatible Materials	Metal acetylide, halogen, interhalogen, halogen oxides, nitric acid, nitrous oxide, nitrates, nitrites, halogen oxyacid salts, chromates, permanganates, inorganic peroxides, metal oxides and peroxyformic acid. Halogen, interhalogen, strong oxidant, water and acids. Oxidants, halogen, interhalogen and mercury.
Hazardous Decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11 Toxicological Information

> Acute Toxicity

Component	CAS No.	LD ₅₀ (Oral)	LD ₅₀ (Dermal)	LC ₅₀ (Inhalation, 4h)
Carbon black(C)	1333-86-4	> 15400mg/kg(Rat)	> 3000mg/kg(Rabbit)	No information available

> Skin Corrosion/Irritation

No information available



> **Serious Eye Damage/Irritation**

No information available

> **Skin Sensitization**

No information available

> **Respiratory Sensitization**

No information available

> **Germ Cell Mutagenicity**

No information available

> **Carcinogenicity**

ID	CAS No.	Component	IARC	NTP
1	15365-14-7	Lithium iron phosphate(FeLiO4P)	Not Listed	Not Listed
2	7782-42-5	Graphite(C24X12)	Not Listed	Not Listed
3	7440-50-8	Copper	Not Listed	Not Listed
4	7429-90-5	Aluminium(Al)	Not Listed	Not Listed
5	7440-02-0	Nickel	Category 2B	Not Listed
6	21324-40-3	Lithium hexafluorophosphate	Not Listed	Not Listed
7	24937-79-9	Polyvinylidene Fluoride	Not Listed	Not Listed
8	9085-26-1	Carboxymethylcellulose Sodium	Not Listed	Not Listed
9	1333-86-4	Carbon black(C)	Category 2B	Not Listed
10	9003-55-8	Styrene-butadiene rubber	Category 3	Not Listed

> **Reproductive Toxicity**

No information available

> **Reproductive Toxicity (Additional)**

No information available

> **STOT-Single Exposure**

No information available

> **STOT-Repeated Exposure**

No information available

> **Aspiration Hazard**

No information available

Section 12 Ecological Information

> Acute Aquatic Toxicity

Component	CAS No.	Fish	Crustaceans	Algae
Nickel	7440-02-0	LC ₅₀ :40mg/L (96h)(Fish)	EC ₅₀ : 1mg/L (48h)	No information available
Aluminium(Al)	7429-90-5	LC ₅₀ : 1.55mg/L (96h)(Fish)	No information available	No information available
Copper	7440-50-8	LC ₅₀ : 0.665mg/L (96h)(Fish)	EC ₅₀ : 0.02mg/L (48h)	ErC ₅₀ : 7.9mg/L (96h)

> Chronic Aquatic Toxicity

No information available

> Others

Persistence and Degradability
Bioaccumulative Potential
Mobility in Soil

No information available

No information available

No information available

Results of PBT and vPvB Assessment

Lithium iron phosphate(FeLiO4P) does not meet the criteria for PBT and vPvB according to Regulation (EC) No 1907/2006, annex XIII.

Graphite(C24X12) does not meet the criteria for PBT and vPvB according to Regulation (EC) No 1907/2006, annex XIII.

Copper does not meet the criteria for PBT and vPvB according to Regulation (EC) No 1907/2006, annex XIII.

Aluminium(Al) does not meet the criteria for PBT and vPvB according to Regulation (EC) No 1907/2006, annex XIII.

Nickel does not meet the criteria for PBT and vPvB according to Regulation (EC) No 1907/2006, annex XIII.

Lithium hexafluorophosphate does not meet the criteria for PBT and vPvB according to Regulation (EC) No 1907/2006, annex XIII.

Polyvinylidene Fluoride does not meet the criteria for PBT and vPvB according to Regulation (EC) No 1907/2006, annex XIII.

Carboxymethylcellulose Sodium does not meet the criteria for PBT and vPvB according to Regulation (EC) No 1907/2006, annex XIII.

Carbon black(C) does not meet the criteria for PBT and vPvB according to Regulation (EC) No 1907/2006, annex XIII.

Styrene-butadiene rubber does not meet the criteria for PBT and vPvB according to Regulation (EC) No 1907/2006, annex XIII.

Section 13 Disposal Considerations

Waste Chemicals

Before disposal should refer to the relevant national and local laws and regulation. Recommend the use of incineration disposal.

Contaminated Packaging Disposal

Containers may still present chemical hazard when empty. Keep away from hot and ignition source of fire. Return to supplier for recycling if possible.

Recommendations

Refer to Waste chemicals and Contaminated packaging.

Section 14 Transport Information



Transporting Label



Marine pollutant

None

UN Number

3480

UN Proper Shipping Name

LITHIUM ION BATTERIES(including lithium ion polymer batteries)

Transport Hazard Class

9

Transport Subsidiary Hazard Class

NONE

Packing Group

Packagings shall conform to the packing group II performance level

Report remarks

According to United Nations Recommendations on the Transports of Dangerous Goods•Model Regulations, Lithium batteries could be transported in accordance with the classification conclusions of this report when meet the requirements of UN38.3 test.

Section 15 Regulatory Information

> International Chemical Inventory

Component	EINECS	TSCA	DSL	IECSC	NZIoC	PICCS	KECI	AICS	ENCS
Lithium iron phosphate(FeLiO4 P)	√	√	√	×	×	×	√	×	×
Graphite(C24X12)	√	√	√	√	√	√	√	√	×
Copper	√	√	√	√	√	√	√	√	×
Aluminium(Al)	√	√	√	√	√	√	√	√	×
Nickel	√	√	√	√	√	√	√	√	×
Lithium hexafluorophosphate	√	√	×	√	×	√	√	√	×
Polyvinylidene Fluoride	×	√	√	√	√	√	√	√	√
Carboxymethylcellulose Sodium	×	×	×	×	×	×	×	×	×
Carbon black(C)	√	√	√	√	√	√	√	√	×
Styrene-butadiene rubber	×	√	√	√	√	√	√	√	√

【EINECS】 European Inventory of Existing Commercial Chemical Substances.

【TSCA】 United States Toxic Substances Control Act Inventory.

【DSL】 Canadian Domestic Substances List.

【IECSC】 China Inventory of Existing Chemical Substances.

【NZIoC】 New Zealand Inventory of Chemicals.

【PICCS】 Philippines Inventory of Chemicals and Chemical Substances.

【KECI】 Existing and Evaluated Chemical Substances.

【AICS】 Australia Inventory of Chemical Substances.

【ENCS】 Existing And New Chemical Substances.

Note

"√" Indicates that the substance included in the regulations

"×" That no data or included in the regulations

Section 16 Additional Information



Creation Date	2021/07/19
Revision Date	2021/07/19
Reason for Revision	-

> Disclaimer

This Safety Data Sheet (SDS) was prepared according to UN GHS (the 8th revised edition). The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user' s reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.